

# SAFETY DATA SHEET



## Car Brite™ FAST WAX Liquid Wax

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04/20/2018  |
| 1.2     | 04/25/2018     | 600000001078 | Date of first issue: 08/22/2017 |

---

### SECTION 1. IDENTIFICATION

Product name : FAST WAX 1GA UNIT- NEW

Product code : CBO1A036I03

#### Manufacturer or supplier's details

Company name of supplier : Niteo Products,LLC

Address : Dallas TX 19162

#### Recommended use of the chemical and restrictions on use

Recommended use : WAX

Restrictions on use : Use only outdoors or in a well-ventilated area.

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with 29 CFR 1910.1200

Flammable liquids : Category 4

Eye irritation : Category 2B

#### GHS label elements

Signal word : Warning

Hazard statements : H227 Combustible liquid.  
H320 Causes eye irritation.

Precautionary statements : **Prevention:**  
P210 Keep away from heat/sparks/open flames/hot surfaces.  
No smoking.  
P264 Wash skin thoroughly after handling.  
P280 Wear protective gloves/ eye protection/ face protection.  
**Response:**  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.  
**Storage:**  
P403 + P235 Store in a well-ventilated place. Keep cool.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

# SAFETY DATA SHEET



## Car Brite™ FAST WAX Liquid Wax

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04/20/2018  |
| 1.2     | 04/25/2018     | 600000001078 | Date of first issue: 08/22/2017 |

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Hazardous components

| Chemical name                                   | CAS-No.    | Concentration (% w/w) |
|-------------------------------------------------|------------|-----------------------|
| NAPHTHA (PETROLEUM),<br>HYDROTREATED HEAVY      | 64742-48-9 | $\geq 10 - < 20$      |
| SOLVENT NAPHTHA (PETROLEUM),<br>HEAVY ALIPHATIC | 64742-96-7 | $\geq 5 - < 10$       |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

## SECTION 4. FIRST AID MEASURES

- |                                                             |                                                                                                                                                                                                                                                       |
|-------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General advice                                              | : No hazards which require special first aid measures.                                                                                                                                                                                                |
| If inhaled                                                  | : If breathed in, move person into fresh air.<br>If unconscious, place in recovery position and seek medical advice.<br>If symptoms persist, call a physician.                                                                                        |
| In case of skin contact                                     | : If on clothes, remove clothes.<br>Remove contaminated clothing. If irritation develops, get medical attention.<br>If on skin, rinse well with water.<br>Wash contaminated clothing before re-use.<br>If skin irritation persists, call a physician. |
| In case of eye contact                                      | : Immediately flush eye(s) with plenty of water.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist.                                                         |
| If swallowed                                                | : Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.                                                                                                        |
| Most important symptoms and effects, both acute and delayed | : Causes eye irritation.                                                                                                                                                                                                                              |

## SECTION 5. FIREFIGHTING MEASURES

- |                                       |                                                                                                                                                                                                 |
|---------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media          | : Water spray<br>Carbon dioxide (CO <sub>2</sub> )                                                                                                                                              |
| Unsuitable extinguishing media        | : High volume water jet                                                                                                                                                                         |
| Specific hazards during fire-fighting | : If product is heated above its flash point it will produce vapors sufficient to support combustion. Vapors are heavier than air and may travel along the ground and be ignited by heat, pilot |

# SAFETY DATA SHEET



## Car Brite™ FAST WAX Liquid Wax

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue:             |
| 1.2     | 04/25/2018     | 600000001078 | 04/20/2018                      |
|         |                |              | Date of first issue: 08/22/2017 |

- lights, other flames and ignition sources at locations near the point of release.  
Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon oxides  
Aldehydes
- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
- Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
Use a water spray to cool fully closed containers.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Remove all sources of ignition.  
Avoid breathing dust.  
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Prevent product from entering drains.  
Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Electrically bond and ground all containers, personnel and equipment before transfer or use of material. Special precautions may be necessary to dissipate static electricity for non-conductive containers. Use proper bonding and grounding during product transfer as described in National Fire Protection Association document NFPA 77.  
Keep away from open flames, hot surfaces and sources of ignition.  
Do not spray on a naked flame or any incandescent material.
- Advice on safe handling : Avoid formation of aerosol.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Avoid contact with skin and eyes.

**Car Brite™ FAST WAX Liquid Wax**

|                |                              |                             |                                                                   |
|----------------|------------------------------|-----------------------------|-------------------------------------------------------------------|
| Version<br>1.2 | Revision Date:<br>04/25/2018 | SDS Number:<br>600000001078 | Date of last issue: 04/20/2018<br>Date of first issue: 08/22/2017 |
|----------------|------------------------------|-----------------------------|-------------------------------------------------------------------|

Dispose of rinse water in accordance with local and national regulations.  
Smoking, eating and drinking should be prohibited in the application area.  
For personal protection see section 8.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Observe label precautions.  
No smoking.

Further information on storage stability : No decomposition if stored and applied as directed.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

**Hazardous components without workplace control parameters**

| Components                                         | CAS-No.    |
|----------------------------------------------------|------------|
| NAPHTHA (PETROLEUM),<br>HYDROTREATED HEAVY         | 64742-48-9 |
| SOLVENT NAPHTHA<br>(PETROLEUM), HEAVY<br>ALIPHATIC | 64742-96-7 |

**Engineering measures** : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

**Personal protective equipment**

Hand protection

Remarks : Wear resistant gloves (consult your safety equipment supplier). The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Wear chemical splash goggles when there is the potential for exposure of the eyes to liquid, vapor or mist.

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.  
Wear as appropriate:  
Impervious clothing  
Safety shoes

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.  
When using do not smoke.  
When using do not eat or drink.

# SAFETY DATA SHEET



## Car Brite™ FAST WAX Liquid Wax

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04/20/2018  |
| 1.2     | 04/25/2018     | 600000001078 | Date of first issue: 08/22/2017 |

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|                      |                                     |
|----------------------|-------------------------------------|
| Appearance           | : cream                             |
| Colour               | : yellow                            |
| Odour                | : like fruit                        |
| pH                   | : 8 - 9                             |
| Flash point          | : > 61 °C                           |
| Relative density     | : 0.983 (25 °C)                     |
| Viscosity            |                                     |
| Viscosity, kinematic | : > 7000 mm <sup>2</sup> /s (40 °C) |

### SECTION 10. STABILITY AND REACTIVITY

|                                    |                                                                                                       |
|------------------------------------|-------------------------------------------------------------------------------------------------------|
| Reactivity                         | : No decomposition if stored and applied as directed.                                                 |
| Chemical stability                 | : No decomposition if stored and applied as directed.                                                 |
| Possibility of hazardous reactions | : No decomposition if stored and applied as directed.<br>Vapours may form explosive mixture with air. |
| Conditions to avoid                | : Heat, flames and sparks.                                                                            |
| Incompatible materials             | : Oxidizing agents                                                                                    |
| Hazardous decomposition products   | : Carbon oxides                                                                                       |

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Eye contact  
Ingestion

#### Acute toxicity

Not classified based on available information.

#### Components:

#### NAPHTHA (PETROLEUM), HYDROTREATED HEAVY:

|                       |                                                                                                                   |
|-----------------------|-------------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity   | : LD50 (Rat): > 5,000 mg/kg                                                                                       |
| Acute dermal toxicity | : LD50 (Rabbit): > 3,000 mg/kg<br>Assessment: No adverse effect has been observed in acute dermal toxicity tests. |

# SAFETY DATA SHEET



## Car Brite™ FAST WAX Liquid Wax

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04/20/2018  |
| 1.2     | 04/25/2018     | 600000001078 | Date of first issue: 08/22/2017 |

---

### **SOLVENT NAPHTHA (PETROLEUM), HEAVY ALIPHATIC:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.28 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Assessment: No adverse effect has been observed in acute inhalation toxicity tests.  
Remarks: No mortality observed at this dose.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: No adverse effect has been observed in acute dermal toxicity tests.  
Remarks: No mortality observed at this dose.

### **Skin corrosion/irritation**

Not classified based on available information.

### **Product:**

Remarks: May irritate skin.

### **Components:**

#### **NAPHTHA (PETROLEUM), HYDROTREATED HEAVY:**

Result: Mild skin irritation

#### **SOLVENT NAPHTHA (PETROLEUM), HEAVY ALIPHATIC:**

Species: Rabbit  
Result: Irritating to skin.

### **Serious eye damage/eye irritation**

Causes eye irritation.

### **Product:**

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

### **Components:**

#### **NAPHTHA (PETROLEUM), HYDROTREATED HEAVY:**

Result: Mild eye irritation

#### **SOLVENT NAPHTHA (PETROLEUM), HEAVY ALIPHATIC:**

Species: Rabbit  
Result: Possibly irritating to eyes

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

**Car Brite™ FAST WAX Liquid Wax**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04/20/2018  |
| 1.2     | 04/25/2018     | 600000001078 | Date of first issue: 08/22/2017 |

---

**Components:****SOLVENT NAPHTHA (PETROLEUM), HEAVY ALIPHATIC:**

Test Type: Buehler Test

Species: Guinea pig

Assessment: Does not cause skin sensitisation.

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****SOLVENT NAPHTHA (PETROLEUM), HEAVY ALIPHATIC:**

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Rat  
Cell type: Bone marrow  
Method: OECD Test Guideline 475  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

Not classified based on available information.

**STOT - single exposure**

Not classified based on available information.

**Components:****SOLVENT NAPHTHA (PETROLEUM), HEAVY ALIPHATIC:**

Assessment: May cause drowsiness or dizziness.

**STOT - repeated exposure**

Not classified based on available information.

**Aspiration toxicity**

Not classified based on available information.

# SAFETY DATA SHEET



## Car Brite™ FAST WAX Liquid Wax

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04/20/2018  |
| 1.2     | 04/25/2018     | 600000001078 | Date of first issue: 08/22/2017 |

---

### **Components:**

#### **NAPHTHA (PETROLEUM), HYDROTREATED HEAVY:**

May be fatal if swallowed and enters airways.

#### **SOLVENT NAPHTHA (PETROLEUM), HEAVY ALIPHATIC:**

May be fatal if swallowed and enters airways.

### **Further information**

#### **Product:**

Remarks: No data available

---

## **SECTION 12. ECOLOGICAL INFORMATION**

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

### **Disposal methods**

|                        |   |                                                                                                                                                          |
|------------------------|---|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Waste from residues    | : | Dispose of in accordance with all applicable local, state and federal regulations.                                                                       |
| Contaminated packaging | : | Empty remaining contents.<br>Dispose of as unused product.<br>Do not re-use empty containers.<br>Do not burn, or use a cutting torch on, the empty drum. |

---

## **SECTION 14. TRANSPORT INFORMATION**

### **International Regulations**

#### **IATA-DGR**

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

#### **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

### **National Regulations**

#### **49 CFR**

Not regulated as a dangerous good

#### **49 CFR**

Not regulated as a dangerous good

# SAFETY DATA SHEET



## Car Brite™ FAST WAX Liquid Wax

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04/20/2018  |
| 1.2     | 04/25/2018     | 600000001078 | Date of first issue: 08/22/2017 |

### SECTION 15. REGULATORY INFORMATION

#### EPCRA - Emergency Planning and Community Right-to-Know Act

##### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

##### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

##### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)  
Serious eye damage or eye irritation

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### US State Regulations


##### California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### SECTION 16. OTHER INFORMATION

#### Further information

##### NFPA:



Revision Date : 04/25/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific

# SAFETY DATA SHEET



## Car Brite™ FAST WAX Liquid Wax

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04/20/2018  |
| 1.2     | 04/25/2018     | 600000001078 | Date of first issue: 08/22/2017 |

---

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN