

# SAFETY DATA SHEET



## Car Brite™ LEATHER & PLASTIC CLEANER Concentrated

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 05/23/2016  |
| 1.1     | 04/29/2018     | 600000000727 | Date of first issue: 05/23/2016 |

---

### SECTION 1. IDENTIFICATION

Product name : LTHR & PLASTIC CLNR 4/1 GA

Product code : CBOOE021-03

#### Manufacturer or supplier's details

Company name of supplier : Niteo Products, LLC

Address : Dallas TX 19162

#### Recommended use of the chemical and restrictions on use

Recommended use : CLEANER

Restrictions on use : Use only outdoors or in a well-ventilated area.

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with 29 CFR 1910.1200

Skin corrosion : Category 1

Serious eye damage : Category 1

#### GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.

Precautionary statements :

**Prevention:**  
P264 Wash skin thoroughly after handling.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

# SAFETY DATA SHEET



## Car Brite™ LEATHER & PLASTIC CLEANER Concentrated

Version 1.1      Revision Date: 04/29/2018      SDS Number: 600000000727      Date of last issue: 05/23/2016  
Date of first issue: 05/23/2016

CENTER/doctor.  
P363 Wash contaminated clothing before reuse.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Hazardous components

| Chemical name                        | CAS-No.    | Concentration (% w/w) |
|--------------------------------------|------------|-----------------------|
| POTASSIUM DODECYL BENZENE SULPHONATE | 27177-77-1 | $\geq 1 - < 5$        |
| ETHYLENE GLYCOL MONOBUTYL ETHER      | 111-76-2   | $\geq 1 - < 5$        |
| TRISODIUM PHOSPHATE                  | 7601-54-9  | $\geq 1 - < 5$        |
| SODIUM XYLENE SULFONATE              | 1300-72-7  | $\geq 1 - < 5$        |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

## SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : If breathed in, move person into fresh air.  
If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
If on skin, rinse well with water.  
Wash contaminated clothing before re-use.  
If skin irritation persists, call a physician.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.
- If swallowed : Get medical attention immediately.  
Do NOT induce vomiting.

# SAFETY DATA SHEET



## Car Brite™ LEATHER & PLASTIC CLEANER Concentrated

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 05/23/2016  |
| 1.1     | 04/29/2018     | 600000000727 | Date of first issue: 05/23/2016 |

Rinse mouth with water.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : Causes serious eye damage.  
Causes severe burns.

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray  
Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Carbon oxides  
Sulphur oxides  
Sodium oxides  
Oxides of phosphorus

Specific extinguishing methods : Product is compatible with standard fire-fighting agents.

Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Avoid breathing dust.  
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.

Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Prevent product from entering drains.  
Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

# SAFETY DATA SHEET



## Car Brite™ LEATHER & PLASTIC CLEANER Concentrated

Version 1.1      Revision Date: 04/29/2018      SDS Number: 600000000727      Date of last issue: 05/23/2016  
Date of first issue: 05/23/2016

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapours/dust.  
Avoid contact with skin and eyes.  
Dispose of rinse water in accordance with local and national regulations.  
Container hazardous when empty.  
Smoking, eating and drinking should be prohibited in the application area.  
For personal protection see section 8.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Observe label precautions.
- Further information on storage stability : No decomposition if stored and applied as directed.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

| Components                      | CAS-No.   | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis     |
|---------------------------------|-----------|-------------------------------|------------------------------------------------|-----------|
| ETHYLENE GLYCOL MONOBUTYL ETHER | 111-76-2  | TWA                           | 20 ppm                                         | ACGIH     |
|                                 |           | TWA                           | 5 ppm<br>24 mg/m <sup>3</sup>                  | NIOSH REL |
|                                 |           | TWA                           | 50 ppm<br>240 mg/m <sup>3</sup>                | OSHA Z-1  |
|                                 |           | TWA                           | 25 ppm<br>120 mg/m <sup>3</sup>                | OSHA P0   |
| TRISODIUM PHOSPHATE             | 7601-54-9 | STEL                          | 5 mg/m <sup>3</sup>                            | US WEEL   |

#### Hazardous components without workplace control parameters

| Components                           | CAS-No.    |
|--------------------------------------|------------|
| POTASSIUM DODECYL BENZENE SULPHONATE | 27177-77-1 |
| SODIUM XYLENE SULFONATE              | 1300-72-7  |

#### Biological occupational exposure limits

| Components                      | CAS-No.  | Control parameters      | Biological specimen | Sampling time                            | Permissible concentration | Basis     |
|---------------------------------|----------|-------------------------|---------------------|------------------------------------------|---------------------------|-----------|
| ETHYLENE GLYCOL MONOBUTYL ETHER | 111-76-2 | Butoxyacetic acid (BAA) | Urine               | End of shift (As soon as possible after) | 200 mg/g Creatinine       | ACGIH BEI |

# SAFETY DATA SHEET



## Car Brite™ LEATHER & PLASTIC CLEANER Concentrated

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 05/23/2016  |
| 1.1     | 04/29/2018     | 600000000727 | Date of first issue: 05/23/2016 |

|  |  |  |  |                     |  |  |
|--|--|--|--|---------------------|--|--|
|  |  |  |  | exposure<br>ceases) |  |  |
|--|--|--|--|---------------------|--|--|

**Engineering measures** : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

### Personal protective equipment

Hand protection

Remarks : Wear resistant gloves (consult your safety equipment supplier). The suitability for a specific workplace should be discussed with the producers of the protective gloves. Discard gloves that show tears, pinholes, or signs of wear.

Eye protection : Wear chemical splash goggles and face shield when there is potential for exposure of the eyes or face to liquid, vapor or mist.

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.  
Wear as appropriate:  
Impervious clothing  
Safety shoes  
Remove and wash contaminated clothing before re-use.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.  
When using do not smoke.  
When using do not eat or drink.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|                              |                     |
|------------------------------|---------------------|
| Appearance                   | : liquid            |
| Colour                       | : colourless        |
| Odour                        | : like fruit        |
| pH                           | : ca. 13.5          |
| Melting point/freezing point | : 0 °C              |
| Boiling point/boiling range  | : 100 °C            |
| Flash point                  | : Not applicable    |
| Evaporation rate             | : 0.36              |
| Flammability (solid, gas)    | : No data available |
| Self-ignition                | : ><br>200 °C       |

**Car Brite™ LEATHER & PLASTIC CLEANER  
Concentrated**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 05/23/2016  |
| 1.1     | 04/29/2018     | 600000000727 | Date of first issue: 05/23/2016 |

---

|                                                  |   |                                             |
|--------------------------------------------------|---|---------------------------------------------|
| Upper explosion limit / Upper flammability limit | : | 10.6 %(V)                                   |
| Lower explosion limit / Lower flammability limit | : | 1.1 %(V)                                    |
| Vapour pressure                                  | : | 23.3 hPa (20 °C)<br>The value is calculated |
| Density                                          | : | ca. 1.057 g/cm3                             |
| Solubility(ies)<br>Water solubility              | : | No data available                           |
| Partition coefficient: n-octanol/water           | : | No data available                           |
| Viscosity<br>Viscosity, dynamic                  | : | No data available                           |
| Viscosity, kinematic                             | : | No data available                           |
| Oxidizing properties                             | : | No data available                           |

---

**SECTION 10. STABILITY AND REACTIVITY**

|                                    |   |                                                                                                                                                                |
|------------------------------------|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Reactivity                         | : | No decomposition if stored and applied as directed.                                                                                                            |
| Chemical stability                 | : | No decomposition if stored and applied as directed.                                                                                                            |
| Possibility of hazardous reactions | : | No decomposition if stored and applied as directed.<br>Hazardous polymerisation does not occur.                                                                |
| Conditions to avoid                | : | No data available                                                                                                                                              |
| Incompatible materials             | : | Acids<br>Aluminium<br>Amines<br>Ammonia<br>Bases<br>chlorates<br>Chlorine<br>Organic materials<br>Oxidizing agents<br>Reducing agents<br>salts of strong bases |
| Hazardous decomposition products   | : | Carbon oxides<br>Oxides of phosphorus<br>Sulphur oxides<br>Sodium oxides                                                                                       |

**Car Brite™ LEATHER & PLASTIC CLEANER  
Concentrated**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 05/23/2016  |
| 1.1     | 04/29/2018     | 600000000727 | Date of first issue: 05/23/2016 |

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation  
Eye contact  
Skin contact  
Ingestion

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

Remarks: Causes digestive tract burns.

Acute inhalation toxicity : Acute toxicity estimate: > 200 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

**Components:****POTASSIUM DODECYL BENZENE SULPHONATE:**

Acute oral toxicity : LD50 (Rat): 1,080 - 1,980 mg/kg  
Remarks: Information given is based on data obtained from similar substances.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Remarks: Information given is based on data obtained from similar substances.

**ETHYLENE GLYCOL MONOBUTYL ETHER:**

Acute oral toxicity : LD50 (Guinea pig): 1,200 mg/kg

Acute inhalation toxicity : LC50 (Guinea pig): > 633 ppm  
Exposure time: 1 h  
Test atmosphere: dust/mist  
Assessment: The component/mixture is moderately toxic after short term inhalation.

Acute dermal toxicity : LD50 (Guinea pig): > 2,000 mg/kg  
Assessment: The component/mixture is moderately toxic after single contact with skin.

**TRISODIUM PHOSPHATE:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 420

# SAFETY DATA SHEET



## Car Brite™ LEATHER & PLASTIC CLEANER Concentrated

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 05/23/2016  |
| 1.1     | 04/29/2018     | 600000000727 | Date of first issue: 05/23/2016 |

---

Acute inhalation toxicity : LC50 (Rat): > 0.83 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: No adverse effect has been observed in acute inhalation toxicity tests.  
Remarks: Information given is based on data obtained from similar substances.

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: No adverse effect has been observed in acute dermal toxicity tests.  
Remarks: Information given is based on data obtained from similar substances.

### **SODIUM XYLENE SULFONATE:**

Acute oral toxicity : LD50 (Rat): > 7,000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): > 6.41 mg/l  
Exposure time: 232 min  
Test atmosphere: dust/mist  
Remarks: Information given is based on data obtained from similar substances.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: No adverse effect has been observed in acute dermal toxicity tests.

### **Skin corrosion/irritation**

Causes severe burns.

### **Product:**

Remarks: Causes severe skin burns and eye damage.

### **Components:**

#### **POTASSIUM DODECYL BENZENE SULPHONATE:**

Result: Irritating to skin.

Remarks: Information given is based on data obtained from similar substances.

#### **ETHYLENE GLYCOL MONOBUTYL ETHER:**

Result: Irritating to skin.

#### **TRISODIUM PHOSPHATE:**

Result: Irritating to skin.

#### **SODIUM XYLENE SULFONATE:**

**Car Brite™ LEATHER & PLASTIC CLEANER  
Concentrated**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 05/23/2016  |
| 1.1     | 04/29/2018     | 600000000727 | Date of first issue: 05/23/2016 |

---

Species: Rabbit  
Method: OECD Test Guideline 404  
Result: Mild skin irritation  
Remarks: Information given is based on data obtained from similar substances.

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Product:**

Remarks: May cause irreversible eye damage.

**Components:****POTASSIUM DODECYL BENZENE SULPHONATE:**

Result: Irritating to eyes.

**ETHYLENE GLYCOL MONOBUTYL ETHER:**

Result: Irritating to eyes.  
Assessment: Irritating to eyes.

**TRISODIUM PHOSPHATE:**

Result: Irritating to eyes.

**SODIUM XYLENE SULFONATE:**

Species: Rabbit  
Result: Irritation to eyes, reversing within 7 days  
Method: OECD Test Guideline 405  
GLP: yes

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****POTASSIUM DODECYL BENZENE SULPHONATE:**

Exposure routes: Dermal  
Species: Humans  
Assessment: Does not cause skin sensitisation.  
Remarks: Information given is based on data obtained from similar substances.

**TRISODIUM PHOSPHATE:**

Species: Mouse  
Assessment: Did not cause sensitisation on laboratory animals.  
Method: OECD Test Guideline 429  
Remarks: Information given is based on data obtained from similar substances.

**Car Brite™ LEATHER & PLASTIC CLEANER  
Concentrated**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 05/23/2016  |
| 1.1     | 04/29/2018     | 600000000727 | Date of first issue: 05/23/2016 |

---

**SODIUM XYLENE SULFONATE:**

Test Type: Buehler Test  
Exposure routes: Dermal  
Species: Guinea pig  
Method: OECD Test Guideline 406  
Result: Does not cause skin sensitisation.  
GLP: yes

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****POTASSIUM DODECYL BENZENE SULPHONATE:**

Genotoxicity in vitro : Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Result: negative  
Remarks: Information given is based on data obtained from similar substances.

**ETHYLENE GLYCOL MONOBUTYL ETHER:**

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Result: negative

**TRISODIUM PHOSPHATE:**

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)  
Result: negative  
Remarks: Information given is based on data obtained from similar substances.

**Carcinogenicity**

Not classified based on available information.

**IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

Not classified based on available information.

# SAFETY DATA SHEET



## Car Brite™ LEATHER & PLASTIC CLEANER Concentrated

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 05/23/2016  |
| 1.1     | 04/29/2018     | 600000000727 | Date of first issue: 05/23/2016 |

### STOT - single exposure

Not classified based on available information.

### Components:

#### TRISODIUM PHOSPHATE:

Exposure routes: Inhalation

Target Organs: Respiratory Tract

Assessment: May cause respiratory irritation.

### STOT - repeated exposure

Not classified based on available information.

### Aspiration toxicity

Not classified based on available information.

### Further information

### Product:

Remarks: No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

---

## SECTION 14. TRANSPORT INFORMATION

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

### International Regulations

#### IATA-DGR

|                                      |                                                                               |
|--------------------------------------|-------------------------------------------------------------------------------|
| UN/ID No.                            | : UN 1719                                                                     |
| Proper shipping name                 | : CAUSTIC ALKALI LIQUID, N.O.S.<br>(SODIUM METASILICATE, TRISODIUM PHOSPHATE) |
| Class                                | : 8                                                                           |
| Packing group                        | : III                                                                         |
| Labels                               | : 8                                                                           |
| Packing instruction (cargo aircraft) | : 856                                                                         |

# SAFETY DATA SHEET



## Car Brite™ LEATHER & PLASTIC CLEANER Concentrated

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 05/23/2016  |
| 1.1     | 04/29/2018     | 600000000727 | Date of first issue: 05/23/2016 |

Packing instruction : 852  
(passenger aircraft)

### IMDG-Code

UN number : UN 1719  
Proper shipping name : CAUSTIC ALKALI LIQUID, N.O.S.  
(SODIUM METASILICATE, TRISODIUM PHOSPHATE)  
Class : 8  
Packing group : III  
Labels : 8  
EmS Code : F-A, S-B  
Marine pollutant : no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### 49 CFR

UN/ID/NA number : UN 1719  
Proper shipping name : CAUSTIC ALKALI LIQUID, N.O.S.  
(SODIUM METASILICATE, TRISODIUM PHOSPHATE)  
Class : 8  
Packing group : III  
Labels : 8  
ERG Code : 154  
Marine pollutant : no

## SECTION 15. REGULATORY INFORMATION

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Skin corrosion or irritation  
Serious eye damage or eye irritation

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### US State Regulations

#### California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

# SAFETY DATA SHEET




## Car Brite™ LEATHER & PLASTIC CLEANER Concentrated

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 05/23/2016  |
| 1.1     | 04/29/2018     | 600000000727 | Date of first issue: 05/23/2016 |

### SECTION 16. OTHER INFORMATION

#### Further information

#### NFPA:



Special hazard.

Revision Date : 04/29/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN