

SAFETY DATA SHEET



Car Brite™ NON-SILICONE DRESSING SPRAY Body Shop-Safe Aerosol Dressing

Version	Revision Date:	SDS Number:	Date of last issue: 05/05/2018
2.3	05/10/2018	600000000839	Date of first issue: 05/23/2016

SECTION 1. IDENTIFICATION

Product name : NON SILICONE AERO DRSG 11 FOZ UN
Product code : CBO1G008G21

Manufacturer or supplier's details

Company name of supplier : Niteo Products, LLC
Address : Dallas TX 19162
Email Address : EHS@niteoproducts.com
Telephone : 1-844-696-4836

Recommended use of the chemical and restrictions on use

Recommended use : TIRE SHINE / DRESSING
Restrictions on use : Use only outdoors or in a well-ventilated area.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Flammable aerosols : Category 1
Skin irritation : Category 2
Eye irritation : Category 2A
Aspiration hazard : Category 1

GHS label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : H222 Extremely flammable aerosol.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H319 Causes serious eye irritation.

Precautionary statements : **Prevention:**
P210 Keep away from heat/sparks/open flames/hot surfaces.

Car Brite™ NON-SILICONE DRESSING SPRAY
Body Shop-Safe Aerosol Dressing

Version	Revision Date:	SDS Number:	Date of last issue: 05/05/2018
2.3	05/10/2018	600000000839	Date of first issue: 05/23/2016

No smoking.
P211 Do not spray on an open flame or other ignition source.
P251 Pressurized container: Do not pierce or burn, even after use.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ eye protection/ face protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P331 Do NOT induce vomiting.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.

Storage:

P405 Store locked up.
P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
BUTANE NORMAL	106-97-8	>= 20 - <= 40
NAPHTHA (PETROLEUM), HYDROTREATED LIGHT	64742-49-0	>= 20 - <= 40
POLYPROPYLENE GLYCOL MONOBUTYL ETHER	9003-13-8	>= 20 - <= 40
PROPANE	74-98-6	>= 10 - <= 20
n-HEPTANE	142-82-5	>= 2.5 - <= 10
METHYLCYCLOHEXANE	108-87-2	>= 1 - <= 2.5
SOLVENT NAPHTHA (PETROLEUM), LIGHT ALIPHATIC	64742-89-8	>= 0.1 - <= 1

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4. FIRST AID MEASURES

Car Brite™ NON-SILICONE DRESSING SPRAY
Body Shop-Safe Aerosol Dressing

Version	Revision Date:	SDS Number:	Date of last issue: 05/05/2018
2.3	05/10/2018	600000000839	Date of first issue: 05/23/2016

- | | |
|---|---|
| General advice | : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Symptoms of poisoning may appear several hours later.
Do not leave the victim unattended. |
| If inhaled | : If breathed in, move person into fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician. |
| In case of skin contact | : If on clothes, remove clothes.
Remove contaminated clothing. If irritation develops, get medical attention.
If on skin, rinse well with water.
Wash contaminated clothing before re-use.
If skin irritation persists, call a physician. |
| In case of eye contact | : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : Obtain medical attention.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician. |
| Most important symptoms and effects, both acute and delayed | : Inhalation of high concentrations of this material, as could occur in enclosed spaces or during deliberate abuse, may be associated with cardiac arrhythmias. Sympathomimetic drugs may initiate cardiac arrhythmias in persons exposed to this material.
May be fatal if swallowed and enters airways.
Causes skin irritation.
Causes serious eye irritation. |

SECTION 5. FIREFIGHTING MEASURES

- | | |
|---------------------------------------|--|
| Suitable extinguishing media | : Water spray
Carbon dioxide (CO ₂)
Dry chemical
Alcohol-resistant foam |
| Unsuitable extinguishing media | : High volume water jet |
| Specific hazards during fire-fighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : Carbon oxides |

Car Brite™ NON-SILICONE DRESSING SPRAY
Body Shop-Safe Aerosol Dressing

Version	Revision Date:	SDS Number:	Date of last issue: 05/05/2018
2.3	05/10/2018	600000000839	Date of first issue: 05/23/2016

- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
- Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Use a water spray to cool fully closed containers.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Remove all sources of ignition.
Ensure adequate ventilation.
Avoid breathing dust.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Evacuate personnel to safe areas.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
Prevent product from entering drains.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours).
Keep away from open flames, hot surfaces and sources of ignition.
Use only explosion-proof equipment.
Do not spray on a naked flame or any incandescent material.
- Advice on safe handling : Open drum carefully as content may be under pressure.
Provide sufficient air exchange and/or exhaust in work rooms.
Do not breathe vapours/dust.
Do not smoke.
Take precautionary measures against static discharges.
Avoid contact with skin and eyes.
Dispose of rinse water in accordance with local and national regulations.
Container hazardous when empty.
Smoking, eating and drinking should be prohibited in the application area.
For personal protection see section 8.
- Conditions for safe storage : BEWARE: Aerosol is pressurized. Keep away from direct sun

Car Brite™ NON-SILICONE DRESSING SPRAY

Body Shop-Safe Aerosol Dressing

Version 2.3 Revision Date: 05/10/2018 SDS Number: 600000000839 Date of last issue: 05/05/2018
Date of first issue: 05/23/2016

exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.

Keep container tightly closed in a dry and well-ventilated place.

Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Observe label precautions.

No smoking.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
BUTANE NORMAL	106-97-8	TWA	800 ppm 1,900 mg/m ³	NIOSH REL
		TWA	800 ppm 1,900 mg/m ³	OSHA P0
PROPANE	74-98-6	TWA	1,000 ppm 1,800 mg/m ³	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m ³	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m ³	OSHA P0
n-HEPTANE	142-82-5	TWA	85 ppm 350 mg/m ³	NIOSH REL
		C	440 ppm 1,800 mg/m ³	NIOSH REL
		TWA	500 ppm 2,000 mg/m ³	OSHA Z-1
		TWA	400 ppm 1,600 mg/m ³	OSHA P0
		STEL	500 ppm 2,000 mg/m ³	OSHA P0
METHYLCYCLOHEXANE	108-87-2	TWA	400 ppm	ACGIH
		TWA	400 ppm 1,600 mg/m ³	NIOSH REL
		TWA	500 ppm 2,000 mg/m ³	OSHA Z-1
		TWA	400 ppm 1,600 mg/m ³	OSHA P0

Hazardous components without workplace control parameters

Components	CAS-No.
NAPHTHA (PETROLEUM), HYDROTREATED LIGHT	64742-49-0
POLYPROPYLENE GLYCOL	9003-13-8

SAFETY DATA SHEET



Car Brite™ NON-SILICONE DRESSING SPRAY Body Shop-Safe Aerosol Dressing

Version 2.3 Revision Date: 05/10/2018 SDS Number: 600000000839 Date of last issue: 05/05/2018
Date of first issue: 05/23/2016

MONOBUTYL ETHER	
SOLVENT NAPHTHA (PETROLEUM), LIGHT ALIPHATIC	64742-89-8

Engineering measures : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Hand protection

Remarks : Wear resistant gloves (consult your safety equipment supplier). The suitability for a specific workplace should be discussed with the producers of the protective gloves. Discard gloves that show tears, pinholes, or signs of wear.

Eye protection : Wear chemical splash goggles when there is the potential for exposure of the eyes to liquid, vapor or mist.

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Wear as appropriate:
Impervious clothing
Flame-resistant clothing
Safety shoes

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.
When using do not smoke.
When using do not eat or drink.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : aerosol

Odour : No data available

pH : No data available

Melting point/freezing point : No data available

Boiling point/boiling range : No data available

Flash point : -104 °C
Value for Component

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Self-ignition : No data available

SAFETY DATA SHEET



Car Brite™ NON-SILICONE DRESSING SPRAY Body Shop-Safe Aerosol Dressing

Version	Revision Date:	SDS Number:	Date of last issue: 05/05/2018
2.3	05/10/2018	600000000839	Date of first issue: 05/23/2016

Upper explosion limit / Upper flammability limit	:	9.2 %(V)
Lower explosion limit / Lower flammability limit	:	1.8 %(V)
Vapour pressure	:	35 - 55 hPa (21 °C)
Density	:	estimated 0.678 g/cm3
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Oxidizing properties	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed. Vapours may form explosive mixture with air.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Strong acids Strong bases Strong oxidizing agents
Hazardous decomposition products	:	

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Eye contact
Ingestion

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: 2,083 mg/kg
---------------------	---	--------------------------------------

Car Brite™ NON-SILICONE DRESSING SPRAY
Body Shop-Safe Aerosol Dressing

Version	Revision Date:	SDS Number:	Date of last issue: 05/05/2018
2.3	05/10/2018	600000000839	Date of first issue: 05/23/2016

Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:**BUTANE NORMAL:**

Acute oral toxicity : LD50 (Rat): > 5 g/kg

Acute inhalation toxicity : LC50 (Rat): 520400 ppm
Exposure time: 2 h
Test atmosphere: gas

Acute dermal toxicity : LD50 (Rabbit): > 3.16 g/kg

POLYPROPYLENE GLYCOL MONOBUTYL ETHER:

Acute oral toxicity : LD50 (Rat): > 300 - 2,000 mg/kg
Method: OECD Test Guideline 423

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: No adverse effect has been observed in acute dermal toxicity tests.

n-HEPTANE:

Acute oral toxicity : LD50 (Rat): Expected > 5,000 mg/kg
Remarks: Information given is based on data obtained from similar substances.

Acute inhalation toxicity : LC50 (Rat, male and female): > 29.29 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: OECD Test Guideline 403
Assessment: No adverse effect has been observed in acute inhalation toxicity tests.

Acute dermal toxicity : LD50 (Rabbit): Expected > 2,000 mg/kg
Assessment: No adverse effect has been observed in acute dermal toxicity tests.
Remarks: Information given is based on data obtained from similar substances.

SOLVENT NAPHTHA (PETROLEUM), LIGHT ALIPHATIC:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 7,630 mg/m3
Exposure time: 4 h
Test atmosphere: vapour
Method: OECD Test Guideline 403
Assessment: No adverse effect has been observed in acute inhalation toxicity tests.

Car Brite™ NON-SILICONE DRESSING SPRAY
Body Shop-Safe Aerosol Dressing

Version	Revision Date:	SDS Number:	Date of last issue: 05/05/2018
2.3	05/10/2018	600000000839	Date of first issue: 05/23/2016

Acute dermal toxicity : LD50 (Rat): > 4,000 mg/kg
Assessment: No adverse effect has been observed in acute dermal toxicity tests.

Skin corrosion/irritation

Causes skin irritation.

Product:

Remarks: May cause skin irritation and/or dermatitis.

Components:**BUTANE NORMAL:**

Result: Possibly irritating to skin

NAPHTHA (PETROLEUM), HYDROTREATED LIGHT:

Result: Possibly irritating to skin

POLYPROPYLENE GLYCOL MONOBUTYL ETHER:

Species: Human

Method: OECD Test Guideline 431

Result: Irritating to skin.

n-HEPTANE:

Result: Irritating to skin.

METHYLCYCLOHEXANE:

Result: Irritating to skin.

SOLVENT NAPHTHA (PETROLEUM), LIGHT ALIPHATIC:

Species: Rabbit

Result: Irritating to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

Components:**BUTANE NORMAL:**

Result: Possibly irritating to eyes

NAPHTHA (PETROLEUM), HYDROTREATED LIGHT:

Result: Possibly irritating to eyes

Car Brite™ NON-SILICONE DRESSING SPRAY
Body Shop-Safe Aerosol Dressing

Version	Revision Date:	SDS Number:	Date of last issue: 05/05/2018
2.3	05/10/2018	600000000839	Date of first issue: 05/23/2016

POLYPROPYLENE GLYCOL MONOBUTYL ETHER:

Result: Irritating to eyes.

n-HEPTANE:

Result: Possibly irritating to eyes

SOLVENT NAPHTHA (PETROLEUM), LIGHT ALIPHATIC:

Species: Rabbit

Result: No eye irritation

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**n-HEPTANE:**

Test Type: Maximisation Test

Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

Remarks: Information given is based on data obtained from similar substances.

SOLVENT NAPHTHA (PETROLEUM), LIGHT ALIPHATIC:

Assessment: Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Components:**PROPANE:**

Genotoxicity in vitro	:	Test Type: Ames test
		Test system: Salmonella typhimurium
		Metabolic activation: with and without metabolic activation
		Result: negative

n-HEPTANE:

Genotoxicity in vitro	:	Remarks: In vitro tests did not show mutagenic effects
-----------------------	---	--

Carcinogenicity

Not classified based on available information.

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Car Brite™ NON-SILICONE DRESSING SPRAY
Body Shop-Safe Aerosol Dressing

Version	Revision Date:	SDS Number:	Date of last issue: 05/05/2018
2.3	05/10/2018	600000000839	Date of first issue: 05/23/2016

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

Components:**n-HEPTANE:**

Assessment: May cause drowsiness or dizziness.

METHYLCYCLOHEXANE:

Exposure routes: Inhalation

Target Organs: Central nervous system

Assessment: May cause drowsiness or dizziness.

SOLVENT NAPHTHA (PETROLEUM), LIGHT ALIPHATIC:

Assessment: May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:**NAPHTHA (PETROLEUM), HYDROTREATED LIGHT:**

May be fatal if swallowed and enters airways.

n-HEPTANE:

May be fatal if swallowed and enters airways.

METHYLCYCLOHEXANE:

May be fatal if swallowed and enters airways.

SOLVENT NAPHTHA (PETROLEUM), LIGHT ALIPHATIC:

May be fatal if swallowed and enters airways.

Further information**Product:**

Remarks: No data available

Car Brite™ NON-SILICONE DRESSING SPRAY
Body Shop-Safe Aerosol Dressing

Version	Revision Date:	SDS Number:	Date of last issue: 05/05/2018
2.3	05/10/2018	600000000839	Date of first issue: 05/23/2016

SECTION 12. ECOLOGICAL INFORMATION

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

- | | | |
|------------------------|---|--|
| Waste from residues | : | Dispose of in accordance with all applicable local, state and federal regulations. |
| Contaminated packaging | : | Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum. |

SECTION 14. TRANSPORT INFORMATION

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

International Regulations**IATA-DGR**

- | | | |
|--|---|----------------------------|
| UN/ID No. | : | UN 1950 |
| Proper shipping name | : | Aerosols, flammable |
| Class | : | 2.1 |
| Packing group | : | Not assigned by regulation |
| Labels | : | 2.1 |
| Packing instruction (cargo aircraft) | : | 203 |
| Packing instruction (passenger aircraft) | : | 203 |

IMDG-Code

- | | | |
|----------------------|---|----------------------------|
| UN number | : | UN 1950 |
| Proper shipping name | : | AEROSOLS |
| Class | : | 2.1 |
| Packing group | : | Not assigned by regulation |
| Labels | : | 2.1 |
| EmS Code | : | F-D, S-U |
| Marine pollutant | : | yes |

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**49 CFR**

- | | | |
|----------------------|---|----------|
| UN/ID/NA number | : | UN 1950 |
| Proper shipping name | : | Aerosols |
| Class | : | 2.1 |

Car Brite™ NON-SILICONE DRESSING SPRAY
Body Shop-Safe Aerosol Dressing

Version	Revision Date:	SDS Number:	Date of last issue: 05/05/2018
2.3	05/10/2018	600000000839	Date of first issue: 05/23/2016

Packing group	:	Not assigned by regulation
Labels	:	2.1
ERG Code	:	126
Marine pollutant	:	no

SECTION 15. REGULATORY INFORMATION**EPCRA - Emergency Planning and Community Right-to-Know Act****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)
Skin corrosion or irritation
Serious eye damage or eye irritation
Aspiration hazard

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations**California Prop. 65**

WARNING! This product contains a chemical known to the State of California to cause cancer.
WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

SAFETY DATA SHEET



Car Brite™ NON-SILICONE DRESSING SPRAY Body Shop-Safe Aerosol Dressing

Version
2.3

Revision Date:
05/10/2018


SDS Number:
600000000839

Date of last issue: 05/05/2018
Date of first issue: 05/23/2016

SECTION 16. OTHER INFORMATION

Further information

NFPA:



Special hazard.

Revision Date : 05/10/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN