

**SELECT NONACID WHEEL & TIRE CLNR VOC
VOC Compliant**

Version	Revision Date:	SDS Number:	Date of last issue: 04/12/2018
1.4	05/06/2018	600000000753	Date of first issue: 05/23/2016

SECTION 1. IDENTIFICATION

Product name : SELECT NONACID WHL & TIR CLNR VOC 1GA UN

Product code : 777797

Manufacturer or supplier's details

Company name of supplier : Niteo Products,LLC

Address : Dallas TX 19162

Email Address : EHS@niteoproducts.com

Telephone : 1-844-696-4836

Recommended use of the chemical and restrictions on use

Recommended use : CLEANER

Restrictions on use : Use only outdoors or in a well-ventilated area.

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with 29 CFR 1910.1200**

Corrosive to metals : Category 1

Skin corrosion : Category 1

Serious eye damage : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.

Precautionary statements : **Prevention:**
P234 Keep only in original container.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/
face protection.

Response:

**SELECT NONACID WHEEL & TIRE CLNR VOC
VOC Compliant**

Version	Revision Date:	SDS Number:	Date of last issue: 04/12/2018
1.4	05/06/2018	600000000753	Date of first issue: 05/23/2016

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
P363 Wash contaminated clothing before reuse.
P390 Absorb spillage to prevent material damage.

Storage:

P405 Store locked up.
P406 Store in corrosive resistant container with a resistant inner liner.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
SODIUM HYDROXIDE	1310-73-2	>= 5 - < 10
ETHYLENE GLYCOL MONOBUTYL ETHER	111-76-2	>= 1 - < 5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled : If breathed in, move person into fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

In case of skin contact : Take off contaminated clothing and shoes immediately.
If on skin, rinse well with water.
Wash contaminated clothing before re-use.
If skin irritation persists, call a physician.

**SELECT NONACID WHEEL & TIRE CLNR VOC
VOC Compliant**

Version 1.4	Revision Date: 05/06/2018	SDS Number: 600000000753	Date of last issue: 04/12/2018 Date of first issue: 05/23/2016
----------------	------------------------------	-----------------------------	---

- | | | |
|---|---|--|
| In case of eye contact | : | In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing. |
| If swallowed | : | Get medical attention immediately.
Do NOT induce vomiting.
Rinse mouth with water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician. |
| Most important symptoms and effects, both acute and delayed | : | Causes serious eye damage.
Causes severe burns. |

SECTION 5. FIREFIGHTING MEASURES

- | | | |
|---|---|--|
| Suitable extinguishing media | : | Water spray
Carbon dioxide (CO ₂) |
| Unsuitable extinguishing media | : | High volume water jet |
| Specific hazards during fire-fighting | : | Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : | Carbon oxides |
| Specific extinguishing methods | : | Product is compatible with standard fire-fighting agents. |
| Further information | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for firefighters | : | In the event of fire, wear self-contained breathing apparatus. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | | |
|---|---|--|
| Personal precautions, protective equipment and emergency procedures | : | Use personal protective equipment.
Avoid breathing dust.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. |
| Environmental precautions | : | Prevent further leakage or spillage if safe to do so.
Prevent product from entering drains. |

SELECT NONACID WHEEL & TIRE CLNR VOC VOC Compliant

Version	Revision Date:	SDS Number:	Date of last issue: 04/12/2018
1.4	05/06/2018	600000000753	Date of first issue: 05/23/2016

Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform
respective authorities.

Methods and materials for : Keep in suitable, closed containers for disposal.
containment and cleaning up

SECTION 7. HANDLING AND STORAGE

Advice on protection against : Normal measures for preventive fire protection.
fire and explosion

Advice on safe handling : Do not breathe vapours/dust.
Avoid contact with skin and eyes.
Dispose of rinse water in accordance with local and national
regulations.
Container hazardous when empty.
Smoking, eating and drinking should be prohibited in the ap-
plication area.
For personal protection see section 8.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated
place.
Containers which are opened must be carefully resealed and
kept upright to prevent leakage.
Observe label precautions.

Further information on stor- : No decomposition if stored and applied as directed.
age stability

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control param- eters / Permissible concentration	Basis
SODIUM HYDROXIDE	1310-73-2	C	2 mg/m ³	ACGIH
		C	2 mg/m ³	NIOSH REL
		TWA	2 mg/m ³	OSHA Z-1
		C	2 mg/m ³	OSHA P0
ETHYLENE GLYCOL MONOBUTYL ETHER	111-76-2	TWA	20 ppm	ACGIH
		TWA	5 ppm 24 mg/m ³	NIOSH REL
		TWA	50 ppm 240 mg/m ³	OSHA Z-1
		TWA	25 ppm 120 mg/m ³	OSHA P0

**SELECT NONACID WHEEL & TIRE CLNR VOC
VOC Compliant**

Version	Revision Date:	SDS Number:	Date of last issue: 04/12/2018
1.4	05/06/2018	600000000753	Date of first issue: 05/23/2016

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam-pling time	Permissible concentra-tion	Basis
ETHYLENE GLYCOL MONOBUTYL ETHER	111-76-2	Butoxyace-tic acid (BAA)	Urine	End of shift (As soon as possible after exposure ceases)	200 mg/g Creatinine	ACGIH BEI

Engineering measures : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Hand protection

Remarks : Wear resistant gloves (consult your safety equipment supplier). The suitability for a specific workplace should be discussed with the producers of the protective gloves. Discard gloves that show tears, pinholes, or signs of wear.

Eye protection : Wear chemical splash goggles and face shield when there is potential for exposure of the eyes or face to liquid, vapor or mist.

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place. Wear as appropriate:
Impervious clothing
Safety shoes
Remove and wash contaminated clothing before re-use.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.
When using do not smoke.
When using do not eat or drink.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : brown

Odour : ammoniacal

pH : ca. 13

Melting point/freezing point : No data available

**SELECT NONACID WHEEL & TIRE CLNR VOC
VOC Compliant**

Version	Revision Date:	SDS Number:	Date of last issue: 04/12/2018
1.4	05/06/2018	600000000753	Date of first issue: 05/23/2016

Boiling point/boiling range	:	100 °C (1,013 hPa) The value is calculated
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	10.6 %(V) The value is calculated
Lower explosion limit / Lower flammability limit	:	1.1 %(V) The value is calculated
Vapour pressure	:	23.33 hPa (20 °C) The value is calculated
Density	:	ca. 1.095 g/cm ³ (20 °C)
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Oxidizing properties	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed. Hazardous polymerisation does not occur.
Conditions to avoid	:	Do not allow evaporation to dryness. Exposure to sunlight. Exposure to moisture
Incompatible materials	:	Acids Aluminium Amines Ammonia Bases chlorates

**SELECT NONACID WHEEL & TIRE CLNR VOC
VOC Compliant**

Version	Revision Date:	SDS Number:	Date of last issue: 04/12/2018
1.4	05/06/2018	600000000753	Date of first issue: 05/23/2016

Chlorine
Halogenated compounds
Metals
organic nitro compounds
salts of strong bases
Strong oxidizing agents
water

Hazardous decomposition :
products

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Inhalation
Skin contact
Eye contact
Ingestion

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Remarks: Causes digestive tract burns.

Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 200 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:**SODIUM HYDROXIDE:**

Acute oral toxicity : LDLo (Rabbit): 500 mg/kg

ETHYLENE GLYCOL MONOBUTYL ETHER:

Acute oral toxicity : LD50 (Guinea pig): 1,200 mg/kg

Acute inhalation toxicity : LC50 (Guinea pig): > 633 ppm
Exposure time: 1 h
Test atmosphere: dust/mist
Assessment: The component/mixture is moderately toxic after short term inhalation.

Acute dermal toxicity : LD50 (Guinea pig): > 2,000 mg/kg
Assessment: The component/mixture is moderately toxic after single contact with skin.

**SELECT NONACID WHEEL & TIRE CLNR VOC
VOC Compliant**

Version	Revision Date:	SDS Number:	Date of last issue: 04/12/2018
1.4	05/06/2018	600000000753	Date of first issue: 05/23/2016

Skin corrosion/irritation

Causes severe burns.

Product:

Remarks: Causes severe skin burns and eye damage.
The feeling of irritation or pain may be delayed.

Components:

SODIUM HYDROXIDE:

Result: Corrosive after 3 minutes or less of exposure

ETHYLENE GLYCOL MONOBUTYL ETHER:

Result: Irritating to skin.

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks: May cause irreversible eye damage.

Components:

SODIUM HYDROXIDE:

Result: Irreversible effects on the eye
Assessment: Corrosive

ETHYLENE GLYCOL MONOBUTYL ETHER:

Result: Irritating to eyes.
Assessment: Irritating to eyes.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

SODIUM HYDROXIDE:

Exposure routes: Skin contact
Species: Humans
Result: negative

Germ cell mutagenicity

Not classified based on available information.

Components:

ETHYLENE GLYCOL MONOBUTYL ETHER:

**SELECT NONACID WHEEL & TIRE CLNR VOC
VOC Compliant**

Version	Revision Date:	SDS Number:	Date of last issue: 04/12/2018
1.4	05/06/2018	600000000753	Date of first issue: 05/23/2016

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Result: negative

Carcinogenicity

Not classified based on available information.

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information**Product:**

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

**SELECT NONACID WHEEL & TIRE CLNR VOC
VOC Compliant**

Version	Revision Date:	SDS Number:	Date of last issue: 04/12/2018
1.4	05/06/2018	600000000753	Date of first issue: 05/23/2016

SECTION 14. TRANSPORT INFORMATION

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

International Regulations**IATA-DGR**

UN/ID No.	: UN 1824
Proper shipping name	: SODIUM HYDROXIDE SOLUTION
Class	: 8
Packing group	: II
Labels	: 8
Packing instruction (cargo aircraft)	: 855
Packing instruction (passenger aircraft)	: 851

IMDG-Code

UN number	: UN 1824
Proper shipping name	: SODIUM HYDROXIDE SOLUTION
Class	: 8
Packing group	: II
Labels	: 8
EmS Code	: F-A, S-B
Marine pollutant	: no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**49 CFR**

UN/ID/NA number	: UN 1824
Proper shipping name	: SODIUM HYDROXIDE SOLUTION
Class	: 8
Packing group	: II
Labels	: 8
ERG Code	: 154
Marine pollutant	: no

SECTION 15. REGULATORY INFORMATION**EPCRA - Emergency Planning and Community Right-to-Know Act****CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
SODIUM HYDROXIDE	1310-73-2	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

**SELECT NONACID WHEEL & TIRE CLNR VOC
VOC Compliant**

Version	Revision Date:	SDS Number:	Date of last issue: 04/12/2018
1.4	05/06/2018	600000000753	Date of first issue: 05/23/2016

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity


This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Corrosive to metals
Skin corrosion or irritation
Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations**California Prop. 65**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16. OTHER INFORMATION**Further information****NFPA:**

Revision Date : 05/06/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN