

SAFETY DATA SHEET



Car Brite™ SUPER CHERRY SPEED WAX Liquid Wax

Version	Revision Date:	SDS Number:	Date of last issue: 04/20/2018
1.4	04/25/2018	600000001071	Date of first issue: 06/27/2017

SECTION 1. IDENTIFICATION

Product name : SUPER CHERRY SPEED WAX 4/1 GA- NEW

Product code : CBOOA037I03

Manufacturer or supplier's details

Company name of supplier : Niteo Products, LLC

Address : Dallas TX 19162

Recommended use of the chemical and restrictions on use

Recommended use : WAX

Restrictions on use : Use only outdoors or in a well-ventilated area.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Flammable liquids : Category 4

Eye irritation : Category 2B

GHS label elements

Signal word : Warning

Hazard statements : H227 Combustible liquid.
H320 Causes eye irritation.

Precautionary statements : **Prevention:**
P210 Keep away from heat/sparks/open flames/hot surfaces.
No smoking.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ eye protection/ face protection.

Response:
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:
P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:
P501 Dispose of contents/ container to an approved waste dis-

SAFETY DATA SHEET



Car Brite™ SUPER CHERRY SPEED WAX Liquid Wax

Version 1.4 Revision Date: 04/25/2018 SDS Number: 600000001071 Date of last issue: 04/20/2018
Date of first issue: 06/27/2017

positional plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
NAPHTHA (PETROLEUM), HYDROTREATED HEAVY	64742-48-9	$\geq 10 - < 20$
SOLVENT NAPHTHA (PETROLEUM), HEAVY ALIPHATIC	64742-96-7	$\geq 5 - < 10$

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4. FIRST AID MEASURES

- General advice : No hazards which require special first aid measures.
- If inhaled : If breathed in, move person into fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If on clothes, remove clothes.
Remove contaminated clothing. If irritation develops, get medical attention.
If on skin, rinse well with water.
Wash contaminated clothing before re-use.
If skin irritation persists, call a physician.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Causes eye irritation.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Carbon dioxide (CO₂)
- Unsuitable extinguishing media : High volume water jet

SAFETY DATA SHEET



Car Brite™ SUPER CHERRY SPEED WAX Liquid Wax

Version	Revision Date:	SDS Number:	Date of last issue: 04/20/2018
1.4	04/25/2018	600000001071	Date of first issue: 06/27/2017

- Specific hazards during fire-fighting : If product is heated above its flash point it will produce vapors sufficient to support combustion. Vapors are heavier than air and may travel along the ground and be ignited by heat, pilot lights, other flames and ignition sources at locations near the point of release.
Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon oxides
Aldehydes
- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
- Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Use a water spray to cool fully closed containers.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Remove all sources of ignition.
Avoid breathing dust.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
Prevent product from entering drains.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Electrically bond and ground all containers, personnel and equipment before transfer or use of material. Special precautions may be necessary to dissipate static electricity for non-conductive containers. Use proper bonding and grounding during product transfer as described in National Fire Protection Association document NFPA 77.
Keep away from open flames, hot surfaces and sources of

SAFETY DATA SHEET



Car Brite™ SUPER CHERRY SPEED WAX Liquid Wax

Version	Revision Date:	SDS Number:	Date of last issue: 04/20/2018
1.4	04/25/2018	600000001071	Date of first issue: 06/27/2017

- ignition.
Do not spray on a naked flame or any incandescent material.
- Advice on safe handling : Avoid formation of aerosol.
Provide sufficient air exchange and/or exhaust in work rooms.
Avoid contact with skin and eyes.
Dispose of rinse water in accordance with local and national regulations.
Smoking, eating and drinking should be prohibited in the application area.
For personal protection see section 8.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
No smoking.
- Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Hazardous components without workplace control parameters

Components	CAS-No.
NAPHTHA (PETROLEUM), HYDROTREATED HEAVY	64742-48-9
SOLVENT NAPHTHA (PETROLEUM), HEAVY ALIPHATIC	64742-96-7

- Engineering measures : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

- Respiratory protection : In the case of vapour formation use a respirator with an approved filter.

Hand protection

- Remarks : Wear resistant gloves (consult your safety equipment supplier). The suitability for a specific workplace should be discussed with the producers of the protective gloves.

- Eye protection : Wear chemical splash goggles when there is the potential for exposure of the eyes to liquid, vapor or mist.

SAFETY DATA SHEET



Car Brite™ SUPER CHERRY SPEED WAX Liquid Wax

Version	Revision Date:	SDS Number:	Date of last issue: 04/20/2018
1.4	04/25/2018	600000001071	Date of first issue: 06/27/2017

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Wear as appropriate:
Impervious clothing
Safety shoes

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.
When using do not smoke.
When using do not eat or drink.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: pink
Odour	: like fruit
pH	: 8 - 9
Boiling point/boiling range	: 100 °C
Flash point	: 64 °C
Relative density	: 0.983 (25 °C)
Viscosity	
Viscosity, kinematic	: > 21 mm ² /s (estimated 40 °C)

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed. Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Strong oxidizing agents
Hazardous decomposition products	: Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Skin contact
Eye contact
Inhalation
Ingestion

SAFETY DATA SHEET



Car Brite™ SUPER CHERRY SPEED WAX Liquid Wax

Version	Revision Date:	SDS Number:	Date of last issue: 04/20/2018
1.4	04/25/2018	600000001071	Date of first issue: 06/27/2017

Acute toxicity

Not classified based on available information.

Components:

NAPHTHA (PETROLEUM), HYDROTREATED HEAVY:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 3,000 mg/kg
Assessment: No adverse effect has been observed in acute dermal toxicity tests.

SOLVENT NAPHTHA (PETROLEUM), HEAVY ALIPHATIC:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.28 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Assessment: No adverse effect has been observed in acute inhalation toxicity tests.
Remarks: No mortality observed at this dose.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: No adverse effect has been observed in acute dermal toxicity tests.
Remarks: No mortality observed at this dose.

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks: May irritate skin.

Components:

NAPHTHA (PETROLEUM), HYDROTREATED HEAVY:

Result: Mild skin irritation

SOLVENT NAPHTHA (PETROLEUM), HEAVY ALIPHATIC:

Species: Rabbit
Result: Irritating to skin.

Serious eye damage/eye irritation

Causes eye irritation.

Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

Car Brite™ SUPER CHERRY SPEED WAX Liquid Wax

Version	Revision Date:	SDS Number:	Date of last issue: 04/20/2018
1.4	04/25/2018	600000001071	Date of first issue: 06/27/2017

Components:**NAPHTHA (PETROLEUM), HYDROTREATED HEAVY:**

Result: Mild eye irritation

SOLVENT NAPHTHA (PETROLEUM), HEAVY ALIPHATIC:

Species: Rabbit

Result: Possibly irritating to eyes

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**SOLVENT NAPHTHA (PETROLEUM), HEAVY ALIPHATIC:**

Test Type: Buehler Test

Species: Guinea pig

Assessment: Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Components:**SOLVENT NAPHTHA (PETROLEUM), HEAVY ALIPHATIC:**

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Rat
Cell type: Bone marrow
Method: OECD Test Guideline 475
Result: negative

Carcinogenicity

Not classified based on available information.

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SAFETY DATA SHEET



Car Brite™ SUPER CHERRY SPEED WAX Liquid Wax

Version	Revision Date:	SDS Number:	Date of last issue: 04/20/2018
1.4	04/25/2018	600000001071	Date of first issue: 06/27/2017

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

Components:

SOLVENT NAPHTHA (PETROLEUM), HEAVY ALIPHATIC:

Assessment: May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Components:

NAPHTHA (PETROLEUM), HYDROTREATED HEAVY:

May be fatal if swallowed and enters airways.

SOLVENT NAPHTHA (PETROLEUM), HEAVY ALIPHATIC:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

- | | | |
|------------------------|---|--|
| Waste from residues | : | Dispose of in accordance with all applicable local, state and federal regulations. |
| Contaminated packaging | : | Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum. |

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

SAFETY DATA SHEET



Car Brite™ SUPER CHERRY SPEED WAX Liquid Wax

Version 1.4 Revision Date: 04/25/2018 SDS Number: 600000001071 Date of last issue: 04/20/2018
Date of first issue: 06/27/2017

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

Not regulated as a dangerous good

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
ACETOPHENONE	98-86-2	5000	5000 (U004)
AMYL ACETATE	628-63-7	5000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)
Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SAFETY DATA SHEET




Car Brite™ SUPER CHERRY SPEED WAX Liquid Wax

Version	Revision Date:	SDS Number:	Date of last issue: 04/20/2018
1.4	04/25/2018	600000001071	Date of first issue: 06/27/2017

SECTION 16. OTHER INFORMATION

Further information

NFPA:



Special hazard.

Revision Date : 04/25/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN